

Village Board

August 19, 2013

Present: Deputy Mayor Jeannine Mayer, Trustees Vince Buono, Terry Parisian, Patrick Landewe and Don Hackett

Absent: Mayor William Murphy and Trustee Brian Martin

Others: Eyal Saad, Mike Hopf, Mike Marino, George Terpening, Alex Wade, Bob Ciarlante, Robert Ford, Ed Quirk, Dave Mason, Joseph Sinagra and others

Deputy Mayor Mayer called the Village Board to order at 7:00pm. Trustee Buono led the Pledge of Allegiance to the Flag.

Privilege of the Floor

Vincent McLaughlin spoke about the traffic on Russell Street still going the wrong way, especially the vehicles from Stagecoach Taxi. He has spoken with the Police Department and they will continue to monitor the situation.

Deputy Mayor Mayer presented the minutes of the August 5, 2013 Village Board meeting. Motion was made by Trustee Hackett, seconded by Trustee Parisian, to approve the minutes. Carried unanimously.

Trustee Buono presented the Abstract for August 19, 2013: General - \$72,545.16; Water - \$3,020.83; Wastewater - \$25,066.62. Motion was made by Trustee Hackett, seconded by Trustee Landewe, to approve the Abstract. Carried unanimously.

Mike Marino presented the Wastewater Department report (copy attached). The odor control system seems to be working well. The broken sewer line under the house on Main Street has been replaced. The Village attorney is working on easements. The sewer line under Partition Street will probably have to be replaced.

SFD Chief Dave Mason presented his report (copy attached). Calls for the month of July totaled 113 man hours. Some of the SFD members are taking a 10 week NYS class for firemen.

Bob Ciarlante presented the DPW report (copy attached). Street paving has begun with work to be done on 14 Village streets. Drainage work on Latham Circle has been completed. DPW did some excavating and paving at the Wastewater Plant.

Mike Hopf presented the Water Department report (copy attached). The department treated 932,194 gallons of water per day for the month of July. The Water Department continues to work with commercial users on the backflow prevention devices.

Eyal Saad advised the Board that he will be starting multi-family inspections this fall. They are required every three years.

George Terpening reported daily mowing at all parks. The beach and pool are closed – all the lifeguards left to go back to school. The beach parking lot is currently occupied by construction equipment for the bridge painting. The Lions Club will purchase some new equipment for the Playground – the Village will try to budget some financial assistance as well. Thanks to the DPW for stump removal at Seamon Park. Thanks to electrician Bob Kelly for his work on the new generator at Village Hall.

Alex Wade presented his Special Assignment report (copy attached). Bids have gone out for the Streetscape Project – bid opening is September 6th. The report corrects some errors in a local newspaper report regarding the “Storm Recovery Zones” project.

Police Chief Joseph Sinagra addressed the Board. The PD conducted motorcycle checkpoints over a two day period recently in the Village. Over 100 tickets were issued (many for faulty helmets). Education on motorcycle safety was also given. This effort will continue. The Chief stressed that residents should lock their vehicles at all times. The owner of the “Carousel Building” on Partition Street has been paid by the people who painted the graffiti on his building for graffiti removal – he did not want to press criminal charges. Since the owner has received payment, it’s now up to him to remove the graffiti. School opens on September 4th – the school crosswalks need to be painted. Chief Sinagra asks that the Mayor contact Superintendent Seth Turner about this. There was much discussion regarding the traffic signal at the corner of Main and Partition Streets. Chief Sinagra will contact the DOT for a sit down meeting to look at the whole traffic signal picture in the heart of the Village. The PD received a \$12,000.00 grant from Ulster County DWI.

Trustee Landewe advised the Board that the August Planning Board meeting was cancelled. The Ashokan Release Working Group is waiting for reports from the DEP and DEC. The “trails grant” has been submitted by the Town with help from the Village.

Trustee Parisian reminded residents not to deposit yard debris in the streets. Go to North Street! The Village and CWA have come to an agreement on the contract.

Deputy Mayor Mayer reported that the Art Studio Tour was a great success. There is a Comprehensive Plan Workshop for Trustees and the public on Thursday Aug 22 at 700pm at the Senior Center.

Deputy Mayor Mayer advised the Board that the Tree Commission members reviewed Local Law #5/2013 – changes to the tree law. They want some changes and the law will be sent back to the attorney. The vote was tabled.

Deputy Mayor Mayer presented Resolution #14/2013. This resolution allows the Village to purchase the property at 472 Main Street for the purpose of the repair and maintenance of the sewer line. The purchase price shall not exceed \$92,500.00. After discussion of the Environmental Assessment Form and Lead Agency Declaration, motion was made by Trustee Buono, seconded by Trustee Hackett, to approve Resolution #14/2013. The vote was unanimous by all in attendance.

Trustees Buono and Landewe presented a proposed rental property law to the Board for discussion. This law will help the Village address the problems caused by absentee landlords. The proposed law will be sent to the Village attorney for comment and then for further discussion by the Trustees. The law will be on the September 3rd Board meeting agenda.

Trustee Hackett and Chief Sinagra began a discussion of Montross and Allen Streets. The Village wrote to area residents asking for comments on making Montross and Allen one-way streets. At the August 5th Village Board meeting, many residents of Allen Street expressed displeasure with that proposal. Several alternative suggestions were made at that meeting including stop signs at the top of Allen and end of Montross at the 90 degree turn. After more discussion, the Chief and Trustee Hackett agreed to revisit the streets to try to come up with a more agreeable solution and report back to the Board.

Chief Sinagra asked Village Clerk Mary Frank if the Village has received any correspondence from Attorney Alex Betke regarding a request for a “No Parking” law on Livingston Street. The answer was “no”. The Chief will send the request to the Clerk who will forward it to Mr. Betke.

Motion was made by Trustee Hackett, seconded by Trustee Buono, to adjourn. Carried unanimously. The Village Board adjourned at 8:20pm.

Respectfully Submitted,

Mary Frank
Village Clerk

Filed 8/21/13

*Superintendent's Monthly Report
Wastewater Department
July 2013*

Plant:

Routine Duties:

Routine duties consist of any and all methods of operation and maintenance to obtain a wastewater treatment plant that discharges a high quality product (water). Our "State Pollutant Discharge Elimination System" (SPDES) permit issued by the Department of Environmental Conservation sets the criteria for the high quality discharge.

This consists of such procedures as laboratory testing and monitoring of influent and effluent waters.

Maintenance and preventative maintenance of all mechanical equipment are also top priority in maintaining good operation of the plant.

Non- Routine:

Cut brush along plant fence.

New boiler arrived at plant on July 3, 2013

Installed and set up the tank, pump, mixer in grit building for the $Mg(OH)_2$ injection system. This is to change the pH of the influent to decrease the activity of the odorous bacteria.

Ran Gorators several times this month.

Repairs done on haulers hose assembly.

Maintenance done on the belt press and conveyor system.

The new boiler systems, one in the main building and the other in the digester building were installed. The plant is now operating on Natural gas, except for the lower garage, which will be converted in the near future.

Landscaping performed this month.

Received a pallet of dry Mg(OH)2 on July 18th.

Aqualogics calibrated the flow charts at the plant and the pump stations on July 19th.

Maintenance done on the effluent sampler.

Due to dust problems the chemical pump for the magnesium system was relocated to avoid electrical problems.

East chlorine tank cleaned on July 25th.

West chlorine tank cleaned on August 1st.

Odor control pressure regulator replaced this month. System is back in service.

Started pressure washing both of the secondary settling tanks to remove growth that may be creating higher than normal BOD.

Kosco picked up the propane tank from plant. Propane is not needed any longer, we are now using Natural gas.

Adjustments done on digester gas vent system to avoid odor from digesters.

Received 700 gallons of Hypo on July 30, 2013.

Collection System:

Routine Duties:

Routine duties consist of maintaining safe operation of our six pumping stations. Also includes maintenance and operation of pumps and mechanical equipment. Collection crew will also assist with plant operations as well as assist other departments when manpower is needed.

The village also maintains many miles of sewer transmission lines and manholes. Preventative maintenance, hydro-jetting, line locating and camera inspections are critical to the continuous operation of our collection system.

Non- Routine Duties:

Adjustments made to one of the manhole covers on Ulster Ave. due to excessive noise and movement.

Mechanic from Joe Johnson's Equipment came down to repair a leak in the jet truck pump.

Jet truck tires replaced on July 3, 2013.

Mapping everyone manhole and including all information regarding flow, direction and special instructions for cleaning lines with high pressure equipment. This information will assist persons in the department that is called out for emergencies.

Assisted the Public Works Department with prep. for parade.

Assisted the Public Works Department with several jobs by flagging and maintaining traffic flow.

Many markouts this month. Mainly for Central Hudson.

Repaired a section of the high pressure jet hose.

Spent time at 473 Main Street checking and maintaining flows for the bi-pass sewer line which is being replaced under house.

Assisted the Public Works Department with cleaning culverts in the Latham Circle area.

Hydro-Jetting

Hydro-Jetting and vacuuming of sewer lines and storm lines in the Village and Town are a very important part of our preventative and general maintenance program. The Public Works Department also requests the use of this equipment for maintaining catch basins. This piece of equipment is a valuable tool in maintaining our underground infrastructure. A log is maintained for the use of the equipment. The Hydro-Jet was used 23 times this month.

Department Operations:

<i>Grit Removal:</i>	<i>66 cubic ft.</i>
<i>Screening Removed:</i>	<i>110 cubic ft.</i>
<i>Belt Press Operation:</i>	<i>46.5 cubic yds..</i>
<i>Fuel oil used:</i>	<i>194 gallons.</i>
<i>Septic received:</i>	<i>101,100 gallons</i>
<i>Septic money received:</i>	<i>\$ 11,625.50</i>
<i>Overtime: Plant</i>	<i>\$ 104.00</i>
<i>Overtime: Collection System:</i>	<i>\$ 203.64</i>

Respectfully Submitted,



Alphonse M. Marino

Superintendent

Wastewater Department

SAUGERTIES POLICE DEPARTMENT

VILLAGE/TOWN DATA: JULY, 2013

BLOTTER	Village	Year to Date	Town	Year to Date	Monthly Tot	% Vill/Month	YTD Total	% Vill YTD
Calls For Service	509	2565	887	4556	1396	36%	7121	36%
Detective Cases Opened	11	72	20	145	31	35%	217	33%
ARRESTS								
Total Dept Arrests	27	211	26	182	53	51%	393	54%
Felony-Charges	2	18	2	8	4	50%	26	69%
Misc-Charges	12	105	14	81	26	46%	186	56%
Viol-Charges	13	88	10	93	23	57%	181	49%
DWI/ARRESTS								
DWI	1	15	6	24	7	14%	39	38%
NARCOTICS/ARRESTS								
Narcotics Arrests	1	11	1	9	2	50%	20	55%
UPM Arrests	1	14	2	18	3	33%	32	44%
WARRANTS (85)								
Warr-Recv	1	11	9	23	10	10%	34	32%
Warr-Exe	0	22	2	19	2	0%	41	54%
TICKETS								
UTT	85	590	115	870	200	43%	1450	40%
Parking	150	1189	17	26	167	90%	1215	98%
ACCIDENTS								
Total Accidents	13	102	38	264	51	25%	366	28%
Total Accident Reports	11	55	22	174	33	33%	229	24%
PIAA	1	3	9	44	10	10%	47	6%
PDAA	12	96	29	217	41	29%	313	31%
Fatal	0	0	0	0	0	0	0	0
Ped	0	3	0	3	0	0%	6	50%



SAUGERTIES FIRE DEPARTMENT

43 Partition Street
Saugerties, New York 12477



R. A. Snyder Hose Co. #1
Washington H. & L. Co. #1

C. A. Lynch Hose Co. #2
Exempt Firemen's Ass'n.

Report July 2013

Village Board Members,

During the month of July we responded to 15 alarms, They were;

- 7 Automatic Fire Alarms
- 1 Motor Vehicle Accidents
- 1 Mutual Aid to Glasco FD for a CO/Smoke Det. Activation
- 1 Vehicle Fire
- 1 Structure Fire -Porch Fire
- 2 C.O. Detector Activation
- 2 Smoke Investigation / Unknown Type Fire

All calls totaled 113 man hours.

On July 27th, SFD participated in the UCVFA Convention Parade in Wallkill. The SFD brought home a trophy for 3rd Place Best Appearing Dress Men - 14 Men and Under in the Line of March.

Respectfully submitted,

David A. Mason
Chief, Saugerties Fire Department

Village of Saugerties Department of Public Works July & August
Summary Report

Street Cleaning & Maintenance---

Street sweeping is on going with regular sweeping of the business district, state hwy areas & village streets. Some isolated incidents where residents continue to put yard debris into the street still occur & we ask residents not to do this. If any village residents need to get rid of yard debris our North Street storage area is open every day.

The Bed Race event was serviced by providing additional garbage cans & distributing the barricades & Detour signage for traffic control. The was also cleaned up afterwards.

Construction Projects--

The drainage work on Latham Circle has been completed & some extensive work on Post Street has been done. A hump in the road 55 ft. long was ground out removed & repaved to allow the water to continue down hill. Two catch basins connecting pipe to a catch basin area previously installed by the slope improvement project several years ago were installed to transport water into an enclosed system. A berm from Clermont St. area to the bottom of the hill area was installed to guide the water into the catch basins. We are still noticing some settlement in this road area & this work will eliminate the water feeding into the embankment areas & the two property owners being effected.

Street paving has begun with first assisting the Town Hwy with Meadow Court after a problem with their paving machine then going on to Simmons St. which took 310 tons. The Town Hwy assisted us with 4 trucks & their roller to complete this project. Drive way aprons were also done on Simmons & Barclay Streets. A list of the proposed streets to be repaved is attached.

Work at the sewer plant was done to provide an area to dump the grit & provide drainage improvement to drain that area into an existing catch basin collecting waste water. A reprofiling of the area was done by excavating & paving the area to accomplish this.

Servicing & maintenance work is on going with DPW equipment & other departments. A used dump body was installed on Truck #6 replacing the old body too far gone to repair.

Submitted by: Robert Ciarlante
08/19/13

Proposed streets for blacktop repaving --- 2013 - 2014

Simmons St.

Finger St. & Tries Terrace

Prospect St.

Clermont St.

Clermont Lane

Ann St.

Beckley St.

Theodore St.

Girth & Willow

Sawyerkill

Brinnier--

Virginia --

Mike Hopf Water Superintendent Report July 2013

Total amount of water treated for the month of July was 28,898,000 gallons or 932,194 gallons per day.

The plant was taken off line on ^{one} four occasions for high raw water turbidity during the month of July.

We received 37 requests for utility line locating from Dig safely NY.

We completed 28 work orders in the distribution system.

On July 9, 2013 we performed a line tap on Lighthouse Drive.

On July 10, 2013 The John Ruffner and Fred Carney assisted the water department with the jet truck to clean out the screens in the screen chamber and wash down the Dam face.

On Friday July 12, 2013 Mike Boneville of KOM engineering was on site to install a wireless radio to transmit our dam flow to the plant.

The water department would like to welcome Jeremy Staccio as its newest employee. Jeremy started on July 22, 2013 and is working out well.

On July 22, 2013 the water department sent out a letter to effected businesses that requires backflow devices certifications be sent to our office. As it turns out, many did not have the devices installed. We are working with the businesses to insure they are installed and tested as required by the NYSDOH.

SPECIAL ASSIGNMENTS

Streetscape: The plans and specifications have finally been approved by the DOT and NYS and are out for bid. Bids are due on September 6 at 2:00 p. m. here in Village Hall.

CRZ Zones: There was a bit of confusion over the cost of dredging in an article in our local paper. Here in the Village, we refer to the "Lower Esopus" as the tidal area below the dam. The rest of the state refers to it as everything below the Ashokan Reservoir. The 50 million figure was a rough estimate for the whole creek below the reservoir.

Bob Yerick, Greg Helsmoortal, Hinchey's office, the Sloop Clearwater and the Coast Guard and I met with the Corp of Engineers several years ago (after the 2006 flood) to discuss dredging. At that time the estimated cost was 1.2 to dredge to Lynch's Marina with an additional \$500,000 to dredge up to and including the Clearwater property adjacent to Chorvas Park. Obviously, there is a great deal more sediment in the creek due to recent storms, but the 50 million figure was not for this area alone.

It remains to be seen what the final priorities of the committees are, but dredging is certainly a favorite. Also, the article indicated that we are teamed with Phoenicia. Our team (if approved by the state) includes the Town and Village of Saugerties, Woodstock and Olive. Phoenicia is a stand alone committee due to the extreme damages.

Bus Stops: The director has assured me that he will personally ride the bus and check out our problems.

Pedestrian Signs: I left a message for Aiello explaining that we do not have jurisdiction over the intersection in question.

Alexander Wade

19 August, 2013

Superintendent's Monthly Report

Wastewater Department

August 2013

Plant:

Routine Duties:

Routine duties consist of any and all methods of operation and maintenance to obtain a wastewater treatment plant that discharges a high quality product (water). Our "State Pollutant Discharge Elimination System" (SPDES) permit issued by the Department of Environmental Conservation sets the criteria for the high quality discharge.

This consists of such procedures as laboratory testing and monitoring of influent and effluent waters.

Maintenance and preventative maintenance of all mechanical equipment are also top priority in maintaining good operation of the plant.

Non- Routine:

The west chlorine contact tank was emptied and cleaned.

Landscaping done several times this month.

Gorators run several times this month.

Pressured washed the secondary settling tanks as well as the RBC units.

On August 6th John and Lynn were called out. Due to a request from Glasco Sewer Dist. for the use of our jet truck.

Transferred fuel oil from 2500 gallon tank to lower garage. This is because of the conversion to Natural Gas.

August 12th: all backflow preventers were tested as required by the State Health Department.

Maintenance done on the odor control system.

Pressure washed the RBC effluent channel.

Mg(OH)2 system is working fine. No odor complaints from neighbors.

Primary settling pump taken apart to remove solids.

Maintenance done to mower deck on John Deere tractor.

Repaired a hole in the Environment One" pump station. Repaired hole in pipe with sealing tape and clamps.

Pressure washed the thickener tank.

Replaced nozzles on odor control system.

Ran belt press 7 times this month.

Several days spent removing rust and debris from jet truck tank, in preparation of lining the inside of the tank to prolong life.

Collection System:

Routine Duties:

Routine duties consist of maintaining safe operation of our six pumping stations. Also includes maintenance and operation of pumps and mechanical equipment. Collection crew will also assist with plant operations as well as assist other departments when manpower is needed.

The village also maintains many miles of sewer transmission lines and manholes. Preventative maintenance, hydro-jetting, line locating and camera inspections are critical to the continuous operation of our collection system.

Non- Routine Duties:

Cleaned chlorine tanks at plant.

Spent time securing the area around 473 Main Street due to sewer problem.

Pump stations mowed and bushes cut.

John Ruffner worked on the "collection system manhole" data sheets. This project will list each manhole and also include all information regarding flows, maintenance and condition. This will allow all sewer department personnel to be able to address any problem in the collection system under emergency situations.

Placed a snow fence and several signs on the property located at 473 Main Street, indicating NO TRESSPASSING.

Backflow preventers were tested at both pump stations.

Changed the engine oil on the jet truck on August 13, 2013

Richer's Electric at East Bridge Pump Station to order parts for motor controller so that we are able to remove water from the reserve tank.

Spent time on the Nuzzo property cutting and removing brush and obstacles so that the "camera and cleaning" crew can do their required work.

Researched price to coat the inside of the storage tank on the jet truck. To have this job done the cost would be about \$5000. To do the job in-house the cost would be about \$500. Job was done in-house and pleased with results.

Several mark-outs were done this month.


Hydro-Jetting

Hydro-Jetting and vacuuming of sewer lines and storm lines in the Village and Town are a very important part of our preventative and general maintenance program. The Public Works Department also requests the use of this equipment for maintaining catch basins. This piece of equipment is a valuable tool in maintaining our underground infrastructure. A log is maintained for the use of the equipment. The Hydro-Jet was used 8 times this month.

Department Operations:

<i>Grit Removal:</i>	<i>35 cubic ft.</i>
<i>Screening Removed:</i>	<i>93 cubic ft.</i>
<i>Belt Press Operation:</i>	<i>44.3 cubic yds..</i>
<i>Fuel oil used:</i>	<i>0 gallons.</i>
<i>Septic received:</i>	<i>85,700 gallons</i>
<i>Septic money received:</i>	<i>\$9,855.50</i>
<i>Overtime: Plant</i>	<i>\$ 0</i>
<i>Overtime: Collection System:</i>	<i>\$ 104.00</i>

Respectfully Submitted,



Alphonse M. Marino
Superintendent
Wastewater Department

Mike Hopf Water Superintendent Report August 2013

Total amount of water treated for the month of August was 25,684,000 gallons or 828,516 gallons per day.

The plant was taken off line on occasions for high raw water turbidity during the month of August.

We received 24 requests for utility line locating from Dig safely NY.

We completed 13 work orders in the distribution system.

Water meter reading for the third quarter took place during the first two weeks of August. The bills were sent out September 1, 2013.

On August 16, 2013 we discovered a sink hole on the corner of the screen chamber building. Upon investigation we found a void in the wall of the screen chamber. It was taken off line and DPW backfilled the whole. After discussing the situation with Dennis Larios, it was determined to keep the chamber off line indefinitely as we have a primary intake line that is utilized. Thank you to DPW for their help.

On August 29, 2013 we repaired a water main break on a 6 inch line at the intersection of Cedar and Post streets.

We are continuing to work on the cross connection / backflow program. We have seen a very good response from businesses. I want to thank everyone for their cooperation.

Village of Saugerties Department of Public Works August & September
Summary Report

Street cleaning & Maintenance----

Street sweeping is on going with regular sweeping of the business district, state hwy areas & village streets. We remind residents that the North Street storage is open every day for any brush & vegetation yard debris so no debris into the street areas.

North St. storage area has been maintained with the removal of brush & debris between our scheduled hauling projects.

Several brush & debris pickups were done in various locations at different times.

Assist Parks Dept with removal of swimming floats & several pieces of playground equipment at the Beach, Seamon Park & Lions Playground.

Water Dept. was assisted with two water breaks, one on Cedar St. which happened the same day we scheduled Finger St. paving, the 2nd on Rt. 212.

Safety crosswalks were painted on Main St. by Cahill School for crossing by the school parking lot.

Servicing, maintenance, & repair work to DPW equipment & other departments is always on going. Truck #6 used dump body replacement is completed with mounting, preparation work & painting.

Shoulder mowing was done on several streets & more will continue.

The artist lighthouses displayed in the streets have been taken down for preparation in the up coming auction.

Construction Projects—

Replaced 2 catch basins – one on First St. & one on the corner of Prospect & Market St.

Continuing with our street paving projects. During this period we completed paving Finger St. & Prospect St. Both streets were keyed in with some grinding work for modifying grade conditions, especially Finger St. Approx. 300 tons of blacktop was used on each street. Thanks to the Town Hwy for their trucking assistance & applying tack coat.

Submitted by: Robert Ciarlante
09/13/13

2013 – August/September Monthly Report

BUILDING / PARKS / GROUNDS

We are now mowing and weed whacking all of our parks on an "As Needed" basis – not weekly like we have had to do all summer.

With the help of Bob Ciarlante and the DPW, we removed the 2 slides at Seamon Park and 1 at the beach - as per the insurance company's request. We have one more to go at the Lion's Club Playground. The members of the Lions Club removed the wooden structure and we have to do some site work to get ready for some new playground equipment that will be installed next spring.

Seamon Park has been a busy place. Last weekend we had 3 groups of wedding parties stop by for pictures. We are working hard to get this park ready for the Mum Festival – weeding out the beds and planting a lot of mums. I just came from a meeting of the Mum Festival Committee and they are firming up plans for a real nice festival of artwork, music, arts and crafts, and free hay rides by Ray Mayone, and a few wildlife lectures by Mark Perpetua and Brian Robinson.

October 6th is the festival date and this year they do have a rain date (or snow date) set for the following Saturday, October 13th – although since they did schedule a raindate, we won't need it!!

Hope to see everyone that Sunday, October 6th 12-5 PM.

Respectfully submitted,

A handwritten signature in cursive script, appearing to read "George J. Cooper".

SAUGEERTIES POLICE DEPARTMENT

VILLAGE/TOWN DATA: AUGUST, 2013

BLOTTER	Village	Year to Date	Town	Year to Date	Monthly Tot	% Vill/Month	YTD Total	% Vill YTD
Calls For Service	680	3245	706	5262	1386	49%	8507	38%
Detective Cases Opened	15	87	20	165	35	43%	252	35%
ARRESTS								
Total Dept Arrests	16	227	27	209	43	37%	436	52%
Felony-Charges	0	18	5	13	5	0%	31	58%
Miscd-Charges	9	114	11	92	20	45%	206	55%
Viol-Charges	7	95	11	104	18	39%	199	48%
DWI ARRESTS								
DWI	2	17	2	26	4	50%	43	40%
NARCOTICS ARRESTS								
Narcotics Arrests	0	11	2	11	2	0%	22	50%
UPM Arrests	1	15	6	24	7	14%	39	38%
WARRANTS (85)								
Warr-Recv	0	11	5	28	5	0%	39	28%
Warr-Eye	2	24	5	24	7	29%	48	50%
TICKETS								
UTT	111	701	101	971	212	52%	1672	42%
Parking	148	1337	20	46	168	88%	1383	97%
ACCIDENTS								
Total Accidents	20	122	36	300	56	36%	422	29%
Total Accident Reports	11	66	27	201	38	29%	267	25%
PIAA	4	7	7	51	11	36%	58	12%
PDAA	16	112	28	245	44	36%	357	31%
Fatal	0	0	0	0	0	0	0	0
Ped	0	3	1	4	1	0%	7	43%




SPD MONTHLY MILEAGE REPORT: 2013

*772 was decommissioned as of May 1, 2013, and replaced with a 2013 Dodge Journey
 *774 was decommissioned as of May 1, 2013
 †Formerly 785

UNIT	MAKE	VIN	STARTING MILEAGE	JAN ENDING	JAN TOTAL	FEB ENDING	FEB TOTAL	MAR ENDING	MAR TOTAL	APR ENDING	APR TOTAL	MAY ENDING	MAY TOTAL	JUN ENDING	JUN TOTAL
770	CHEVROLET	1C3CC8C3CN164884	7100	7692	592	8729	1037	9766	1037	11016	1250	12159	1143	12599	440
771	CHEVROLET	2G1WB57N991203756	36730	36902	172	37214	312	37818	604	38800	982	38962	162	39377	415
772*	CHEVROLET	1C3EL56R35N625684	62000	62348	348	62990	642	64250	1260	67185	2935	1479	1479	1640	161
773	CHEVROLET	2G1WB58K279290192	86457	87491	1034	88760	1269	90378	1618	92071	1693	93025	954	94557	1532
774†	FORD	2FAHP71W47X154433	148000	148163	163	149054	891	150162	1108	150793	631				
779	CHEVROLET	2G1WF55K39195100	89995	90182	187	90263	81	90818	55	90995	77	90690	235	90797	167
780	FORD	2FAHP71V98X115944	38981	39752	771	40102	350	40809	698	41809	1009	42990	1181	44134	1144
781	FORD	1FMFU16578LA05791	99668	101953	2285	103420	1467	104668	1240	105430	770	106497	1067	107385	888
782	FORD	1FMFU16518LA6212	126212	127201	989	128296	1097	129355	1057	130374	1019	132021	1647	133385	1364
783	FORD	1FM5K8AR0D820952	254	1412	1158	3003	1591	4720	1717	6736	2016	8173	1457	9592	1419
784	FORD	2FAHP71V9X115341	36541	38793	2189	40563	1833	42639	2076	45254	2615	47680	2426	50352	2672
774†	FORD	2FAHP71W97X134356	74529	74993	464	75724	731	76403	679	77398	995	78833	1435	79773	940
786	FORD	2FAHP71W97X134355	63433	65630	2197	67104	1474	69751	2647	71717	1966	73827	2110	76269	2442
787	FORD	1FAHP2M82D6152729	315	1302	987	2734	1432	4699	1965	6778	2079	8696	1918	12166	3470
788	DODGE	2B3KA43H27H845468	106791	109194	2403	110788	1594	112598	1811	114226	1627	114797	571	116597	1750
789	DODGE	2B3KA43H07H845467	96550	98549	1999	100367	1818	102766	2399	105043	2277	107721	2678	109715	1994
MONTHLY TOTALS:					17938		17619		21971		23941		20443		20798

UNIT	MAKE	VIN	JUL ENDING	JUL TOTAL	AUG ENDING	AUG TOTAL	SEP ENDING	SEP TOTAL	OCT ENDING	OCT TOTAL	NOV ENDING	NOV TOTAL	DEC ENDING	DEC TOTAL
770	CHEVROLET	1C3CC8C3CN164884	13708	1109	14682	974								
771	CHEVROLET	2G1WB57N991203756	39550	173	39752	202								
772*	CHEVROLET	1C3EL56R35N625684	2080	420	2900	840								
773	CHEVROLET	2G1WB58K279290192		853	96564	1154								
774†	FORD	2FAHP71W47X154433												
779	CHEVROLET	2G1WF55K39195100	90903	106	91157	254								
780	FORD	2FAHP71V98X115944	44918	784	45507	589								
781	FORD	1FMFU16578LA05791	107969	584	108637	668								
782	FORD	1FMFU16518LA6212	134206	821	135598	1192								
783	FORD	1FM5K8AR0D620952	11697	1505	12130	1033								
784	FORD	2FAHP71V9X115341	52440	2038	54430	1990								
774†	FORD	2FAHP71W07X134356	80452	679	80935	433								
786	FORD	2FAHP71W97X134355	78739	2470	80584	1845								
787	FORD	1FAHP2M82D6152729	15409	3243	18244	2835								
788	DODGE	2B3KA43H27H845468	118507	1960	120690	2183								
789	DODGE	2B3KA43H07H845467	111540	1825	114026	2486								
MONTHLY TOTALS:				18620		18728		0		0		0		0

UNIT	2013 TOTALS
770	6608
771	3022
772	8085
773	10107
774	2793
779	1162
780	6526
781	8969
782	9186
783	11876
784	17889
785	6406
786	17151
787	17929
788	13899
789	17476
FLEET TOTAL	159084



SAUGERTIES FIRE DEPARTMENT



43 Partition Street
Saugerties, New York 12477

R. A. Snyder Hose Co. #1
Washington H. & L. Co. #1

C. A. Lynch Hose Co. #2
Exempt Firemen's Ass'n.

Report August 2013

Village Board Members,

During the month of August we responded to 11 alarms, They were;

- 3 Automatic Fire Alarms
- 3 Motor Vehicle Accidents
- 2 Mutual Aid to Centerville - Cedar Grove FD for Structure Fires
- 1 Gas Grill Fire
- 1 Elevator Rescue
- 1 Assist PD with forced entry

All calls totaled 190 man hours.

On August 7, the SFD participated in a Vehicle Extrication / Fire drill with Mt. Marion FD and Malden - West Camp FD.

Coming up on Sept 22, there will be a Memorial Ceremony for Ernie Dunn. Ernie was Past Chief of the FD and also Past President of the Exempt Fireman's Assn. I would like to invite everyone on the board to join us in this ceremony remembering Ernie. The ceremony will begin at 1pm here at the uptown Firehouse and light refreshments will be served.

Respectfully submitted,

David A. Mason
Chief, Saugerties Fire Department